



# X-Ring




X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-002	1.07	0.100	1.27	0.08	1.07	0.110	1.27	0.09
-003	1.42	0.100	1.52	0.08	1.42	0.110	1.52	0.09
-004	1.78	0.130	1.78	0.08	1.78	0.14	1.78	0.09
-005	2.57	0.130	1.78	0.08	2.57	0.14	1.78	0.09
-006	2.90	0.130	1.78	0.08	2.90	0.14	1.78	0.09
-007	3.68	0.130	1.78	0.08	3.68	0.15	1.78	0.09
-008	4.47	0.130	1.78	0.08	4.47	0.15	1.78	0.09
-009	5.28	0.130	1.78	0.08	5.28	0.16	1.78	0.09
-010	6.07	0.130	1.78	0.08	6.07	0.16	1.78	0.09
-011	7.65	0.130	1.78	0.08	7.65	0.17	1.78	0.09
-012	9.25	0.130	1.78	0.08	9.25	0.18	1.78	0.09
-013	10.82	0.130	1.78	0.08	10.82	0.18	1.78	0.09
-014	12.42	0.130	1.78	0.08	12.42	0.19	1.78	0.09
-015	14.00	0.180	1.78	0.08	14.00	0.25	1.78	0.09
-016	15.60	0.230	1.78	0.08	15.60	0.31	1.78	0.09
-017	17.17	0.230	1.78	0.08	17.17	0.32	1.78	0.09
-018	18.77	0.230	1.78	0.08	18.77	0.32	1.78	0.09
-019	20.35	0.230	1.78	0.08	20.35	0.33	1.78	0.09
-020	21.95	0.230	1.78	0.08	21.95	0.34	1.78	0.09
-021	23.52	0.230	1.78	0.08	23.52	0.35	1.78	0.09
-022	25.12	0.250	1.78	0.08	25.12	0.38	1.78	0.09
-023	26.70	0.250	1.78	0.08	26.70	0.38	1.78	0.09
-024	28.30	0.250	1.78	0.08	28.30	0.39	1.78	0.09
-025	29.87	0.280	1.78	0.08	29.87	0.43	1.78	0.09
-026	31.47	0.280	1.78	0.08	31.47	0.44	1.78	0.09
-027	33.05	0.280	1.78	0.08	33.05	0.45	1.78	0.09
-028	34.65	0.330	1.78	0.08	34.65	0.50	1.78	0.09
-029	37.82	0.330	1.78	0.08	37.82	0.52	1.78	0.09

# X-Ring




X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-030	41.00	0.330	1.78	0.08	41.00	0.54	1.78	0.09
-031	44.17	0.380	1.78	0.08	44.17	0.60	1.78	0.09
-032	47.35	0.380	1.78	0.08	47.35	0.62	1.78	0.09
-033	50.52	0.460	1.78	0.08	50.52	0.71	1.78	0.09
-034	53.70	0.460	1.78	0.08	53.70	0.73	1.78	0.09
-035	56.87	0.460	1.78	0.08	56.87	0.74	1.78	0.09
-036	60.05	0.460	1.78	0.08	60.05	0.76	1.78	0.09
-037	63.22	0.460	1.78	0.08	63.22	0.78	1.78	0.09
-038	66.40	0.510	1.78	0.08	66.40	0.84	1.78	0.09
-039	69.57	0.510	1.78	0.08	69.57	0.86	1.78	0.09
-040	72.75	0.510	1.78	0.08	72.75	0.87	1.78	0.09
-041	75.92	0.610	1.78	0.08	75.92	0.99	1.78	0.09
-042	82.27	0.610	1.78	0.08	82.27	1.02	1.78	0.09
-043	88.62	0.610	1.78	0.08	88.62	1.05	1.78	0.09
-044	94.97	0.690	1.78	0.08	94.97	1.16	1.78	0.09
-045	101.32	0.690	1.78	0.08	101.32	1.20	1.78	0.09
-046	107.67	0.760	1.78	0.08	107.67	1.300	1.78	0.09
-047	114.02	0.760	1.78	0.08	114.02	1.330	1.78	0.09
-048	120.37	0.760	1.78	0.08	120.37	1.36	1.78	0.09
-049	126.72	0.940	1.78	0.08	126.72	1.57	1.78	0.09
-050	133.07	0.940	1.78	0.08	133.07	1.61	1.78	0.09
-102	1.24	0.130	2.62	0.08	1.24	0.14	2.62	0.09
-103	2.06	0.130	2.62	0.08	2.06	0.14	2.62	0.09
-104	2.84	0.130	2.62	0.08	2.84	0.14	2.62	0.09
-105	3.63	0.130	2.62	0.08	3.63	0.15	2.62	0.09
-106	4.42	0.130	2.62	0.08	4.42	0.15	2.62	0.09
-107	5.23	0.130	2.62	0.08	5.23	0.16	2.62	0.09
-108	6.02	0.130	2.62	0.08	6.02	0.16	2.62	0.09

# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-109	7.59	0.130	2.62	0.08	7.59	0.17	2.62	0.09
-110	9.19	0.130	2.62	0.08	9.19	0.18	2.62	0.09
-111	10.77	0.130	2.62	0.08	10.77	0.18	2.62	0.09
-112	12.37	0.130	2.62	0.08	12.37	0.19	2.62	0.09
-113	13.94	0.180	2.62	0.08	13.94	0.25	2.62	0.09
-114	15.54	0.230	2.62	0.08	15.54	0.31	2.62	0.09
-115	17.12	0.230	2.62	0.08	17.12	0.32	2.62	0.09
-116	18.72	0.230	2.62	0.08	18.72	0.32	2.62	0.09
-117	20.30	0.250	2.62	0.08	20.30	0.35	2.62	0.09
-118	21.89	0.250	2.62	0.08	21.89	0.36	2.62	0.09
-119	23.47	0.250	2.62	0.08	23.47	0.37	2.62	0.09
-120	25.07	0.250	2.62	0.08	25.07	0.38	2.62	0.09
-121	26.64	0.250	2.62	0.08	26.64	0.38	2.62	0.09
-122	28.24	0.250	2.62	0.08	28.24	0.39	2.62	0.09
-123	29.82	0.300	2.62	0.08	29.82	0.45	2.62	0.09
-124	31.42	0.300	2.62	0.08	31.42	0.46	2.62	0.09
-125	32.99	0.300	2.62	0.08	32.99	0.46	2.62	0.09
-126	34.59	0.300	2.62	0.08	34.59	0.47	2.62	0.09
-127	36.17	0.300	2.62	0.08	36.17	0.48	2.62	0.09
-128	37.77	0.300	2.62	0.08	37.77	0.49	2.62	0.09
-129	39.34	0.380	2.62	0.08	39.34	0.58	2.62	0.09
-130	40.94	0.380	2.62	0.08	40.94	0.58	2.62	0.09
-131	42.52	0.380	2.62	0.08	42.52	0.59	2.62	0.09
-132	44.12	0.380	2.62	0.08	44.12	0.60	2.62	0.09
-133	45.69	0.380	2.62	0.08	45.69	0.61	2.62	0.09
-134	47.29	0.380	2.62	0.08	47.29	0.62	2.62	0.09
-135	48.90	0.430	2.62	0.08	48.90	0.67	2.62	0.09
-136	50.47	0.430	2.62	0.08	50.47	0.68	2.62	0.09


# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-137	52.07	0.430	2.62	0.08	52.07	0.69	2.62	0.09
-138	53.64	0.430	2.62	0.08	53.64	0.70	2.62	0.09
-139	55.25	0.430	2.62	0.08	55.25	0.71	2.62	0.09
-140	56.82	0.430	2.62	0.08	56.82	0.71	2.62	0.09
-141	58.42	0.510	2.62	0.08	58.42	0.800	2.62	0.09
-142	59.99	0.510	2.62	0.08	59.99	0.810	2.62	0.09
-143	61.60	0.510	2.62	0.08	61.60	0.82	2.62	0.09
-144	63.17	0.510	2.62	0.08	63.17	0.83	2.62	0.09
-145	64.77	0.510	2.62	0.08	64.77	0.83	2.62	0.09
-146	66.34	0.510	2.62	0.08	66.34	0.84	2.62	0.09
-147	67.95	0.560	2.62	0.08	67.95	0.90	2.62	0.09
-148	69.52	0.560	2.62	0.08	69.52	0.91	2.62	0.09
-149	71.12	0.560	2.62	0.08	71.12	0.92	2.62	0.09
-150	72.69	0.560	2.62	0.08	72.69	0.92	2.62	0.09
-151	75.87	0.610	2.62	0.08	75.87	0.99	2.62	0.09
-152	82.22	0.610	2.62	0.08	82.22	1.02	2.62	0.09
-153	88.57	0.610	2.62	0.08	88.57	1.05	2.62	0.09
-154	94.92	0.710	2.62	0.08	94.92	1.18	2.62	0.09
-155	101.27	0.710	2.62	0.08	101.27	1.22	2.62	0.09
-156	107.62	0.760	2.62	0.08	107.62	1.30	2.62	0.09
-157	113.97	0.760	2.62	0.08	113.97	1.33	2.62	0.09
-158	120.32	0.760	2.62	0.08	120.32	1.36	2.62	0.09
-159	126.67	0.890	2.62	0.08	126.67	1.52	2.62	0.09
-160	133.02	0.890	2.62	0.08	133.02	1.56	2.62	0.09
-161	139.37	0.890	2.62	0.08	139.37	1.59	2.62	0.09
-162	145.72	0.890	2.62	0.08	145.72	1.62	2.62	0.09
-163	152.07	0.890	2.62	0.08	152.07	1.65	2.62	0.09
-164	158.42	1.020	2.62	0.08	158.42	1.81	2.62	0.09




# X-Ring




X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-165	164.77	1.020	2.62	0.08	164.77	1.84	2.62	0.09
-166	171.12	1.020	2.62	0.08	171.12	1.88	2.62	0.09
-167	177.47	1.020	2.62	0.08	177.47	1.91	2.62	0.09
-168	183.82	1.140	2.62	0.08	183.82	2.06	2.62	0.09
-169	190.17	1.140	2.62	0.08	190.17	2.09	2.62	0.09
-170	196.52	1.140	2.62	0.08	196.52	2.12	2.62	0.09
-171	202.87	1.140	2.62	0.08	202.87	2.15	2.62	0.09
-172	209.22	1.270	2.62	0.08	209.22	2.32	2.62	0.09
-173	215.57	1.270	2.62	0.08	215.57	2.35	2.62	0.09
-174	221.92	1.270	2.62	0.08	221.92	2.38	2.62	0.09
-175	228.27	1.270	2.62	0.08	228.27	2.41	2.62	0.09
-176	234.62	1.400	2.62	0.08	234.62	2.57	2.62	0.09
-177	240.97	1.400	2.62	0.08	240.97	2.60	2.62	0.09
-178	247.32	1.400	2.62	0.08	247.32	2.64	2.62	0.09
-201	4.34	0.130	3.53	0.10	4.34	0.15	3.53	0.12
-202	5.94	0.130	3.53	0.10	5.94	0.16	3.53	0.12
-203	7.52	0.130	3.53	0.10	7.52	0.17	3.53	0.12
-204	9.12	0.130	3.53	0.10	9.12	0.18	3.53	0.12
-205	10.69	0.130	3.53	0.10	10.69	0.18	3.53	0.12
-206	12.29	0.130	3.53	0.10	12.29	0.19	3.53	0.12
-207	13.87	0.180	3.53	0.10	13.87	0.250	3.53	0.12
-208	15.47	0.230	3.53	0.10	15.47	0.310	3.53	0.12
-209	17.04	0.230	3.53	0.10	17.04	0.32	3.53	0.12
-210	18.64	0.250	3.53	0.10	18.64	0.34	3.53	0.12
-211	20.22	0.250	3.53	0.10	20.22	0.35	3.53	0.12
-212	21.82	0.250	3.53	0.10	21.82	0.36	3.53	0.12
-213	23.39	0.250	3.53	0.10	23.39	0.37	3.53	0.12
-214	24.99	0.250	3.53	0.10	24.99	0.37	3.53	0.12

# X-Ring




X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-215	26.57	0.250	3.53	0.10	26.57	0.38	3.53	0.12
-216	28.17	0.300	3.53	0.10	28.17	0.44	3.53	0.12
-217	29.74	0.300	3.53	0.10	29.74	0.45	3.53	0.12
-218	31.34	0.300	3.53	0.10	31.34	0.46	3.53	0.12
-219	32.92	0.300	3.53	0.10	32.92	0.46	3.53	0.12
-220	34.52	0.300	3.53	0.10	34.52	0.47	3.53	0.12
-221	36.09	0.300	3.53	0.10	36.09	0.48	3.53	0.12
-222	37.69	0.380	3.53	0.10	37.69	0.57	3.53	0.12
-223	40.87	0.380	3.53	0.10	40.87	0.58	3.53	0.12
-224	44.04	0.380	3.53	0.10	44.04	0.60	3.53	0.12
-225	47.22	0.460	3.53	0.10	47.22	0.70	3.53	0.12
-226	50.39	0.460	3.53	0.10	50.39	0.71	3.53	0.12
-227	53.57	0.460	3.53	0.10	53.57	0.73	3.53	0.12
-228	56.74	0.510	3.53	0.10	56.74	0.79	3.53	0.12
-229	59.92	0.510	3.53	0.10	59.92	0.81	3.53	0.12
-230	63.09	0.510	3.53	0.10	63.09	0.83	3.53	0.12
-231	66.27	0.510	3.53	0.10	66.27	0.84	3.53	0.12
-232	69.44	0.610	3.53	0.10	69.44	0.96	3.53	0.12
-233	72.62	0.610	3.53	0.10	72.62	0.97	3.53	0.12
-234	75.79	0.610	3.53	0.10	75.79	0.99	3.53	0.12
-235	78.97	0.610	3.53	0.10	78.97	1.00	3.53	0.12
-236	82.14	0.610	3.53	0.10	82.14	1.02	3.53	0.12
-237	85.32	0.610	3.53	0.10	85.32	1.04	3.53	0.12
-238	88.49	0.610	3.53	0.10	88.49	1.05	3.53	0.12
-239	91.67	0.710	3.53	0.10	91.67	1.17	3.53	0.12
-240	94.84	0.710	3.53	0.10	94.84	1.18	3.53	0.12
-241	98.02	0.710	3.53	0.10	98.02	1.20	3.53	0.12
-242	101.19	0.710	3.53	0.10	101.19	1.22	3.53	0.12

# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-243	104.37	0.710	3.53	0.10	104.37	1.23	3.53	0.12
-244	107.54	0.760	3.53	0.10	107.54	1.30	3.53	0.12
-245	110.72	0.760	3.53	0.10	110.72	1.31	3.53	0.12
-246	113.89	0.760	3.53	0.10	113.89	1.33	3.53	0.12
-247	117.07	0.760	3.53	0.10	117.07	1.35	3.53	0.12
-248	120.24	0.760	3.53	0.10	120.24	1.36	3.53	0.12
-249	123.42	0.890	3.53	0.10	123.42	1.51	3.53	0.12
-250	126.59	0.890	3.53	0.10	126.59	1.52	3.53	0.12
-251	129.77	0.890	3.53	0.10	129.77	1.540	3.53	0.12
-252	132.94	0.890	3.53	0.10	132.94	1.550	3.53	0.12
-253	136.12	0.890	3.53	0.10	136.12	1.57	3.53	0.12
-254	139.29	0.890	3.53	0.10	139.29	1.59	3.53	0.12
-255	142.47	0.890	3.53	0.10	142.47	1.60	3.53	0.12
-256	145.64	0.890	3.53	0.10	145.64	1.62	3.53	0.12
-257	148.82	0.890	3.53	0.10	148.82	1.63	3.53	0.12
-258	151.99	0.890	3.53	0.10	151.99	1.65	3.53	0.12
-259	158.34	1.020	3.53	0.10	158.34	1.81	3.53	0.12
-260	164.69	1.020	3.53	0.10	164.69	1.84	3.53	0.12
-261	171.04	1.020	3.53	0.10	171.04	1.88	3.53	0.12
-262	177.39	1.020	3.53	0.10	177.39	1.91	3.53	0.12
-263	183.74	1.140	3.53	0.10	183.74	2.06	3.53	0.12
-264	190.09	1.140	3.53	0.10	190.09	2.09	3.53	0.12
-265	196.44	1.140	3.53	0.10	196.44	2.12	3.53	0.12
-266	202.79	1.140	3.53	0.10	202.79	2.15	3.53	0.12
-267	209.14	1.270	3.53	0.10	209.14	2.32	3.53	0.12
-268	215.49	1.270	3.53	0.10	215.49	2.35	3.53	0.12
-269	221.84	1.270	3.53	0.10	221.84	2.38	3.53	0.12
-270	228.19	1.270	3.53	0.10	228.19	2.41	3.53	0.12


# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-271	234.54	1.400	3.53	0.10	234.54	2.57	3.53	0.12
-272	240.89	1.400	3.53	0.10	240.89	2.60	3.53	0.12
-273	247.24	1.400	3.53	0.10	247.24	2.64	3.53	0.12
-274	253.59	1.400	3.53	0.10	253.59	2.67	3.53	0.12
-275	266.29	1.400	3.53	0.10	266.29	2.73	3.53	0.12
-276	278.99	1.650	3.53	0.10	278.99	3.04	3.53	0.12
-277	291.69	1.650	3.53	0.10	291.69	3.11	3.53	0.12
-278	304.39	1.650	3.53	0.10	304.39	3.17	3.53	0.12
-279	329.79	1.650	3.53	0.10	329.79	3.30	3.53	0.12
-280	355.19	1.650	3.53	0.10	355.19	3.43	3.53	0.12
-281	380.59	1.650	3.53	0.10	380.59	3.55	3.53	0.12
-282	405.26	1.910	3.53	0.10	405.26	3.94	3.53	0.12
-283	430.66	2.030	3.53	0.10	430.66	4.18	3.53	0.12
-284	456.06	2.160	3.53	0.10	456.06	4.44	3.53	0.12
-309	10.46	0.130	5.33	0.13	10.46	0.18	5.33	0.16
-310	12.07	0.130	5.33	0.13	12.07	0.19	5.33	0.16
-311	13.64	0.180	5.33	0.13	13.64	0.25	5.33	0.16
-312	15.24	0.230	5.33	0.13	15.24	0.31	5.33	0.16
-313	16.81	0.230	5.33	0.13	16.81	0.31	5.33	0.16
-314	18.42	0.250	5.33	0.13	18.42	0.34	5.33	0.16
-315	19.99	0.250	5.33	0.13	19.99	0.35	5.33	0.16
-316	21.59	0.250	5.33	0.13	21.59	0.36	5.33	0.16
-317	23.16	0.250	5.33	0.13	23.16	0.37	5.33	0.16
-318	24.77	0.250	5.33	0.13	24.77	0.37	5.33	0.16
-319	26.34	0.250	5.33	0.13	26.34	0.380	5.33	0.16
-320	27.94	0.300	5.33	0.13	27.94	0.440	5.33	0.16
-321	29.51	0.300	5.33	0.13	29.51	0.45	5.33	0.16
-322	31.12	0.300	5.33	0.13	31.12	0.46	5.33	0.16




# X-Ring




X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-323	32.69	0.300	5.33	0.13	32.69	0.46	5.33	0.16
-324	34.29	0.300	5.33	0.13	34.29	0.47	5.33	0.16
-325	37.47	0.380	5.33	0.13	37.47	0.57	5.33	0.16
-326	40.64	0.380	5.33	0.13	40.64	0.58	5.33	0.16
-327	43.82	0.380	5.33	0.13	43.82	0.60	5.33	0.16
-328	46.99	0.380	5.33	0.13	46.99	0.61	5.33	0.16
-329	50.17	0.460	5.33	0.13	50.17	0.71	5.33	0.16
-330	53.34	0.460	5.33	0.13	53.34	0.73	5.33	0.16
-331	56.52	0.460	5.33	0.13	56.52	0.74	5.33	0.16
-332	59.69	0.460	5.33	0.13	59.69	0.76	5.33	0.16
-333	62.87	0.510	5.33	0.13	62.87	0.82	5.33	0.16
-334	66.04	0.510	5.33	0.13	66.04	0.84	5.33	0.16
-335	69.22	0.510	5.33	0.13	69.22	0.86	5.33	0.16
-336	72.39	0.510	5.33	0.13	72.39	0.87	5.33	0.16
-337	75.57	0.610	5.33	0.13	75.57	0.99	5.33	0.16
-338	78.74	0.610	5.33	0.13	78.74	1.00	5.33	0.16
-339	81.92	0.610	5.33	0.13	81.92	1.02	5.33	0.16
-340	85.09	0.610	5.33	0.13	85.09	1.04	5.33	0.16
-341	88.27	0.610	5.33	0.13	88.27	1.05	5.33	0.16
-342	91.44	0.710	5.33	0.13	91.44	1.17	5.33	0.16
-343	94.62	0.710	5.33	0.13	94.62	1.18	5.33	0.16
-344	97.79	0.710	5.33	0.13	97.79	1.20	5.33	0.16
-345	100.97	0.710	5.33	0.13	100.97	1.21	5.33	0.16
-346	104.14	0.710	5.33	0.13	104.14	1.23	5.33	0.16
-347	107.32	0.760	5.33	0.13	107.32	1.30	5.33	0.16
-348	110.49	0.760	5.33	0.13	110.49	1.31	5.33	0.16
-349	113.67	0.760	5.33	0.13	113.67	1.33	5.33	0.16
-350	116.84	0.760	5.33	0.13	116.84	1.34	5.33	0.16

# X-Ring




X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-351	120.02	0.760	5.33	0.13	120.02	1.36	5.33	0.16
-352	123.19	0.760	5.33	0.13	123.19	1.38	5.33	0.16
-353	126.37	0.940	5.33	0.13	126.37	1.57	5.33	0.16
-354	129.54	0.940	5.33	0.13	129.54	1.59	5.33	0.16
-355	132.72	0.940	5.33	0.13	132.72	1.60	5.33	0.16
-356	135.89	0.940	5.33	0.13	135.89	1.62	5.33	0.16
-357	139.07	0.940	5.33	0.13	139.07	1.64	5.33	0.16
-358	142.24	0.940	5.33	0.13	142.24	1.65	5.33	0.16
-359	145.42	0.940	5.33	0.13	145.42	1.67	5.33	0.16
-360	148.59	0.940	5.33	0.13	148.59	1.68	5.33	0.16
-361	151.77	0.940	5.33	0.13	151.77	1.70	5.33	0.16
-362	158.12	1.020	5.33	0.13	158.12	1.81	5.33	0.16
-363	164.47	1.020	5.33	0.13	164.47	1.840	5.33	0.16
-364	170.82	1.020	5.33	0.13	170.82	1.870	5.33	0.16
-365	177.17	1.020	5.33	0.13	177.17	1.91	5.33	0.16
-366	183.52	1.140	5.33	0.13	183.52	2.06	5.33	0.16
-367	189.87	1.140	5.33	0.13	189.87	2.09	5.33	0.16
-368	196.22	1.140	5.33	0.13	196.22	2.12	5.33	0.16
-369	202.57	1.140	5.33	0.13	202.57	2.15	5.33	0.16
-370	208.92	1.270	5.33	0.13	208.92	2.31	5.33	0.16
-371	215.27	1.270	5.33	0.13	215.27	2.35	5.33	0.16
-372	221.62	1.270	5.33	0.13	221.62	2.38	5.33	0.16
-373	227.97	1.270	5.33	0.13	227.97	2.41	5.33	0.16
-374	234.32	1.400	5.33	0.13	234.32	2.57	5.33	0.16
-375	240.67	1.400	5.33	0.13	240.67	2.60	5.33	0.16
-376	247.02	1.400	5.33	0.13	247.02	2.64	5.33	0.16
-377	253.37	1.400	5.33	0.13	253.37	2.67	5.33	0.16
-378	266.07	1.520	5.33	0.13	266.07	2.85	5.33	0.16

# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-379	278.77	1.520	5.33	0.13	278.77	2.91	5.33	0.16
-380	291.47	1.650	5.33	0.13	291.47	3.11	5.33	0.16
-381	304.17	1.650	5.33	0.13	304.17	3.17	5.33	0.16
-382	329.57	1.650	5.33	0.13	329.57	3.30	5.33	0.16
-383	354.97	1.780	5.33	0.13	354.97	3.55	5.33	0.16
-384	380.37	1.780	5.33	0.13	380.37	3.68	5.33	0.16
-385	405.26	1.910	5.33	0.13	405.26	3.94	5.33	0.16
-386	430.66	2.030	5.33	0.13	430.66	4.18	5.33	0.16
-387	456.06	2.160	5.33	0.13	456.06	4.44	5.33	0.16
-388	481.41	2.290	5.33	0.13	481.41	4.70	5.33	0.16
-389	506.81	2.410	5.33	0.13	506.81	4.94	5.33	0.16
-390	532.21	2.410	5.33	0.13	532.21	5.07	5.33	0.16
-391	557.61	2.540	5.33	0.13	557.61	5.33	5.33	0.16
-392	582.68	2.670	5.33	0.13	582.68	5.58	5.33	0.16
-393	608.08	2.790	5.33	0.13	608.08	5.83	5.33	0.16
-394	633.48	2.920	5.33	0.13	633.48	6.09	5.33	0.16
-395	658.88	3.050	5.33	0.13	658.88	6.34	5.33	0.16
-425	113.67	0.840	6.99	0.15	113.67	1.41	6.99	0.18
-426	116.84	0.840	6.99	0.15	116.84	1.42	6.99	0.18
-427	120.02	0.840	6.99	0.15	120.02	1.44	6.99	0.18
-428	123.19	0.840	6.99	0.15	123.19	1.46	6.99	0.18
-429	126.37	0.940	6.99	0.15	126.37	1.57	6.99	0.18
-430	129.54	0.940	6.99	0.15	129.54	1.59	6.99	0.18
-431	132.72	0.940	6.99	0.15	132.72	1.60	6.99	0.18
-432	135.89	0.940	6.99	0.15	135.89	1.62	6.99	0.18
-433	139.07	0.940	6.99	0.15	139.07	1.64	6.99	0.18
-434	142.24	0.940	6.99	0.15	142.24	1.65	6.99	0.18
-435	145.42	0.940	6.99	0.15	145.42	1.67	6.99	0.18


# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-436	148.59	0.940	6.99	0.15	148.59	1.680	6.99	0.18
-437	151.77	0.940	6.99	0.15	151.77	1.700	6.99	0.18
-438	158.12	1.020	6.99	0.15	158.12	1.81	6.99	0.18
-439	164.47	1.020	6.99	0.15	164.47	1.84	6.99	0.18
-440	170.82	1.020	6.99	0.15	170.82	1.87	6.99	0.18
-441	177.17	1.020	6.99	0.15	177.17	1.91	6.99	0.18
-442	183.52	1.140	6.99	0.15	183.52	2.06	6.99	0.18
-443	189.87	1.140	6.99	0.15	189.87	2.09	6.99	0.18
-444	196.22	1.140	6.99	0.15	196.22	2.12	6.99	0.18
-445	202.57	1.140	6.99	0.15	202.57	2.15	6.99	0.18
-446	215.27	1.400	6.99	0.15	215.27	2.48	6.99	0.18
-447	227.97	1.400	6.99	0.15	227.97	2.54	6.99	0.18
-448	240.67	1.400	6.99	0.15	240.67	2.60	6.99	0.18
-449	253.37	1.400	6.99	0.15	253.37	2.67	6.99	0.18
-450	266.07	1.520	6.99	0.15	266.07	2.85	6.99	0.18
-451	278.77	1.520	6.99	0.15	278.77	2.91	6.99	0.18
-452	291.47	1.520	6.99	0.15	291.47	2.98	6.99	0.18
-453	304.17	1.520	6.99	0.15	304.17	3.04	6.99	0.18
-454	316.87	1.520	6.99	0.15	316.87	3.10	6.99	0.18
-455	329.57	1.520	6.99	0.15	329.57	3.17	6.99	0.18
-456	342.27	1.780	6.99	0.15	342.27	3.49	6.99	0.18
-457	354.97	1.780	6.99	0.15	354.97	3.55	6.99	0.18
-458	367.67	1.780	6.99	0.15	367.67	3.62	6.99	0.18
-459	380.37	1.780	6.99	0.15	380.37	3.68	6.99	0.18
-460	393.07	1.780	6.99	0.15	393.07	3.75	6.99	0.18
-461	405.26	1.910	6.99	0.15	405.26	3.94	6.99	0.18
-462	417.96	1.910	6.99	0.15	417.96	4.00	6.99	0.18
-463	430.66	2.030	6.99	0.15	430.66	4.18	6.99	0.18



# X-Ring



X-Ring SIZE	measurements in millimeters NBR 70				measurements in millimeters FKM 70			
	ID	±	W	±	ID	±	W	±
-464	443.36	2.160	6.99	0.15	443.36	4.38	6.99	0.18
-465	456.06	2.160	6.99	0.15	456.06	4.44	6.99	0.18
-466	468.76	2.160	6.99	0.15	468.76	4.50	6.99	0.18
-467	481.46	2.290	6.99	0.15	481.46	4.70	6.99	0.18
-468	494.16	2.290	6.99	0.15	494.16	4.76	6.99	0.18
-469	506.86	2.410	6.99	0.15	506.86	4.94	6.99	0.18
-470	532.26	2.410	6.99	0.15	532.26	5.07	6.99	0.18
-471	557.66	2.540	6.99	0.15	557.66	5.33	6.99	0.18
-472	582.68	2.670	6.99	0.15	582.68	5.58	6.99	0.18
-473	608.08	2.790	6.99	0.15	608.08	5.83	6.99	0.18
-474	633.48	2.920	6.99	0.15	633.48	6.09	6.99	0.18
-475	658.88	3.050	6.99	0.15	658.88	6.34	6.99	0.18