



BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-004	2.44	0.13	+0.13/-0.13	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-005	3.23	0.13	+0.13/-0.14	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-006	3.56	0.13	+0.13/-0.14	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-007	4.34	0.13	+0.13/-0.14	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-008	5.13	0.13	+0.13/-0.14	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-009	5.94	0.13	+0.13/-0.14	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-010	6.73	0.13	+0.13/-0.15	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-011	8.31	0.13	+0.13/-0.15	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-012	9.91	0.13	+0.13/-0.16	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-013	11.56	0.13	+0.13/-0.16	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-014	13.16	0.13	+0.13/-0.17	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-015	14.73	0.18	+0.18/-0.22	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-016	16.33	0.23	+0.23/-0.28	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-017	17.91	0.23	+0.23/-0.28	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-018	19.51	0.23	+0.23/-0.29	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-019	21.08	0.23	+0.23/-0.29	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-020	22.68	0.23	+0.23/-0.3	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-021	24.26	0.23	+0.23/-0.3	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-022	25.86	0.25	+0.25/-0.33	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-023	27.43	0.25	+0.25/-0.34	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-024	29.03	0.25	+0.25/-0.34	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-025	30.61	0.28	+0.28/-0.37	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-026	32.21	0.28	+0.28/-0.38	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-027	33.78	0.28	+0.28/-0.38	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-028	35.38	0.33	+0.33/-0.44	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-029	38.56	0.33	+0.33/-0.45	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-030	41.73	0.33	+0.33/-0.46	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-031	44.91	0.38	+0.38/-0.52	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-032	48.09	0.38	+0.38/-0.53	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-033	51.26	0.46	+0.46/-0.61	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-034	54.43	0.46	+0.46/-0.62	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-035	57.61	0.46	+0.46/-0.63	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-036	60.78	0.46	+0.46/-0.64	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-037	63.96	0.46	+0.46/-0.65	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-038	67.13	0.51	+0.51/-0.71	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-039	70.31	0.51	+0.51/-0.72	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-040	73.48	0.51	+0.51/-0.73	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-041	76.66	0.61	+0.61/-0.84	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-042	83.01	0.61	+0.61/-0.86	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-043	89.36	0.61	+0.61/-0.88	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-044	95.71	0.69	+0.69/-0.97	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-045	102.06	0.69	+0.69/-0.99	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-046	108.41	0.76	+0.76/-1.09	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-047	114.76	0.76	+0.76/-1.11	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-048	121.11	0.76	+0.76/-1.13	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-049	127.46	0.94	+0.94/-1.32	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-050	133.81	0.94	+0.94/-1.34	2.21	0.25	1.20	0.08	1.14	0.08	1.35	0.08
-102	1.96	0.13	+0.13/-0.13	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-103	2.77	0.13	+0.13/-0.14	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-104	3.56	0.13	+0.13/-0.14	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-105	4.34	0.13	+0.13/-0.14	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-106	5.13	0.13	+0.13/-0.14	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-107	5.94	0.13	+0.13/-0.14	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-108	6.73	0.13	+0.13/-0.15	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-109	8.31	0.13	+0.13/-0.15	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-110	9.91	0.13	+0.13/-0.16	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-111	11.48	0.13	+0.13/-0.16	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-112	13.08	0.13	+0.13/-0.17	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-113	14.66	0.18	+0.18/-0.22	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-114	16.26	0.23	+0.23/-0.28	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-115	17.83	0.23	+0.23/-0.28	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-116	19.43	0.23	+0.23/-0.29	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-117	21.11	0.25	+0.25/-0.32	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-118	22.68	0.25	+0.25/-0.32	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-119	24.28	0.25	+0.25/-0.33	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-120	25.86	0.25	+0.25/-0.33	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-121	27.46	0.25	+0.25/-0.34	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-122	29.03	0.25	+0.25/-0.34	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-123	30.63	0.30	+0.3/-0.4	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-124	32.21	0.30	+0.3/-0.4	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-125	33.81	0.30	+0.3/-0.41	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-126	35.38	0.30	+0.3/-0.41	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-127	36.98	0.30	+0.3/-0.42	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-128	38.56	0.30	+0.3/-0.42	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-129	40.16	0.38	+0.38/-0.5	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-130	41.73	0.38	+0.38/-0.51	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-131	43.33	0.38	+0.38/-0.51	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-132	44.91	0.38	+0.38/-0.52	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-133	46.51	0.38	+0.38/-0.52	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-134	48.08	0.38	+0.38/-0.53	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-135	49.68	0.43	+0.43/-0.58	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-136	51.26	0.43	+0.43/-0.59	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-137	52.86	0.43	+0.43/-0.59	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-138	54.43	0.43	+0.43/-0.6	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-139	56.03	0.43	+0.43/-0.6	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-140	57.61	0.43	+0.43/-0.6	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-141	59.21	0.51	+0.51/-0.69	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-142	60.78	0.51	+0.51/-0.69	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-143	62.38	0.51	+0.51/-0.7	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-144	63.96	0.51	+0.51/-0.7	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-145	65.56	0.51	+0.51/-0.7	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-146	67.13	0.51	+0.51/-0.71	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-147	68.73	0.56	+0.56/-0.76	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-148	70.31	0.56	+0.56/-0.77	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-149	71.91	0.56	+0.56/-0.77	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-150	73.48	0.56	+0.56/-0.78	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-151	76.66	0.61	+0.61/-0.84	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-152	83.01	0.61	+0.61/-0.86	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-153	89.36	0.61	+0.61/-0.88	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-154	95.71	0.71	+0.71/-1	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-155	102.06	0.71	+0.71/-1.02	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-156	108.41	0.76	+0.76/-1.09	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-157	114.76	0.76	+0.76/-1.11	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-158	121.11	0.76	+0.76/-1.13	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-159	127.46	0.89	+0.89/-1.27	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-160	133.81	0.89	+0.89/-1.29	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-161	140.16	0.89	+0.89/-1.31	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-162	146.51	0.89	+0.89/-1.33	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-163	152.86	0.89	+0.89/-1.35	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-164	159.21	1.02	+1.02/-1.49	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-165	165.56	1.02	+1.02/-1.51	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-166	171.91	1.02	+1.02/-1.53	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-167	178.26	1.02	+1.02/-1.55	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-168	184.61	1.14	+1.14/-1.7	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-169	190.96	1.14	+1.14/-1.72	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-170	197.31	1.14	+1.14/-1.73	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-171	203.66	1.14	+1.14/-1.75	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-172	210.01	1.27	+1.27/-1.9	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-173	216.36	1.27	+1.27/-1.92	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-174	222.71	1.27	+1.27/-1.94	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-175	229.06	1.27	+1.27/-1.96	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-176	235.41	1.40	+1.4/-2.1	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-177	241.76	1.40	+1.4/-2.12	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-178	248.11	1.40	+1.4/-2.14	3.28	0.25	1.28	0.08	1.14	0.08	2.18	0.08
-201	5.13	0.13	+0.13/-0.14	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-202	6.73	0.13	+0.13/-0.15	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-203	8.31	0.13	+0.13/-0.15	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-204	9.91	0.13	+0.13/-0.16	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-205	11.56	0.13	+0.13/-0.16	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-206	13.16	0.13	+0.13/-0.17	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-207	14.73	0.18	+0.18/-0.22	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-208	16.33	0.23	+0.23/-0.28	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-209	17.91	0.23	+0.23/-0.28	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-210	19.46	0.25	+0.25/-0.31	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-211	21.03	0.25	+0.25/-0.32	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-212	22.63	0.25	+0.25/-0.32	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-213	24.21	0.25	+0.25/-0.33	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-214	25.81	0.25	+0.25/-0.33	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-215	27.38	0.25	+0.25/-0.34	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-216	28.98	0.30	+0.3/-0.39	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-217	30.56	0.30	+0.3/-0.4	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-218	32.16	0.30	+0.3/-0.4	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-219	33.88	0.30	+0.3/-0.41	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-220	35.48	0.30	+0.3/-0.41	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-221	37.06	0.30	+0.3/-0.42	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-222	38.66	0.38	+0.38/-0.5	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-223	41.83	0.38	+0.38/-0.51	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-224	45.01	0.38	+0.38/-0.52	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-225	48.18	0.46	+0.46/-0.6	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-226	51.36	0.46	+0.46/-0.61	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-227	54.53	0.46	+0.46/-0.62	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-228	57.71	0.51	+0.51/-0.68	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-229	60.88	0.51	+0.51/-0.69	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-230	64.06	0.51	+0.51/-0.7	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-231	66.83	0.51	+0.51/-0.71	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-232	70	0.61	+0.61/-0.82	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-233	73.18	0.61	+0.61/-0.83	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-234	76.35	0.61	+0.61/-0.84	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-235	79.53	0.61	+0.61/-0.85	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-236	82.7	0.61	+0.61/-0.86	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-237	85.88	0.61	+0.61/-0.87	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-238	89.05	0.61	+0.61/-0.88	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-239	92.23	0.71	+0.71/-0.99	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-240	95.4	0.71	+0.71/-1	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-241	98.58	0.71	+0.71/-1.01	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-242	101.75	0.71	+0.71/-1.02	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-243	104.93	0.71	+0.71/-1.03	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-244	108.1	0.76	+0.76/-1.09	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-245	111.28	0.76	+0.76/-1.1	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-246	114.45	0.76	+0.76/-1.11	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-247	117.63	0.76	+0.76/-1.11	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-248	121.11	0.76	+0.76/-1.13	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-249	124.28	0.89	+0.89/-1.26	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-250	127.46	0.89	+0.89/-1.27	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-251	130.63	0.89	+0.89/-1.28	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-252	133.81	0.89	+0.89/-1.29	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-253	136.98	0.89	+0.89/-1.3	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-254	140.16	0.89	+0.89/-1.31	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-255	143.33	0.89	+0.89/-1.32	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-256	146.51	0.89	+0.89/-1.33	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-257	149.68	0.89	+0.89/-1.34	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-258	152.86	0.89	+0.89/-1.35	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-259	159.21	1.02	+1.02/-1.49	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-260	165.56	1.02	+1.02/-1.51	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-261	171.91	1.02	+1.02/-1.53	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-262	178.26	1.02	+1.02/-1.55	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-263	184.61	1.14	+1.14/-1.7	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-264	190.96	1.14	+1.14/-1.72	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-265	197.31	1.14	+1.14/-1.73	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-266	203.66	1.14	+1.14/-1.75	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-267	210.01	1.27	+1.27/-1.9	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-268	216.36	1.27	+1.27/-1.92	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-269	222.71	1.27	+1.27/-1.94	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-270	229.06	1.27	+1.27/-1.96	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-271	235.41	1.40	+1.4/-2.1	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-272	241.76	1.40	+1.4/-2.12	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-273	248.11	1.40	+1.4/-2.14	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-274	254.46	1.40	+1.4/-2.16	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-275	267.16	1.40	+1.4/-2.2	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-276	279.86	1.65	+1.65/-2.49	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-277	292.56	1.65	+1.65/-2.53	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-278	305.26	1.65	+1.65/-2.57	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-279	330.66	1.65	+1.65/-2.64	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-280	356.06	1.65	+1.65/-2.72	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-281	381.46	1.65	+1.65/-2.8	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-282	406.12	1.91	+1.91/-3.12	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-283	431.52	2.03	+2.03/-3.33	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-284	456.92	2.16	+2.16/-3.53	4.42	0.25	1.23	0.08	1.02	0.08	3.00	0.10
-309	11.43	0.13	+0.13/-0.16	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-310	13.03	0.13	+0.13/-0.17	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-311	14.61	0.18	+0.18/-0.22	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-312	16.21	0.23	+0.23/-0.28	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-313	17.78	0.23	+0.23/-0.28	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-314	19.38	0.25	+0.25/-0.31	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-315	20.96	0.25	+0.25/-0.32	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-316	22.56	0.25	+0.25/-0.32	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-317	24.13	0.25	+0.25/-0.33	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-318	25.73	0.25	+0.25/-0.33	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-319	27.31	0.25	+0.25/-0.34	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-320	28.91	0.30	+0.3/-0.39	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-321	30.48	0.30	+0.3/-0.4	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-322	32.08	0.30	+0.3/-0.4	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-323	33.43	0.30	+0.3/-0.41	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-324	35.26	0.30	+0.3/-0.41	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-325	38.43	0.38	+0.38/-0.5	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-326	41.61	0.38	+0.38/-0.51	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-327	44.78	0.38	+0.38/-0.52	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-328	47.96	0.38	+0.38/-0.52	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-329	51.13	0.46	+0.46/-0.61	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-330	54.31	0.46	+0.46/-0.62	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-331	57.61	0.46	+0.46/-0.63	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-332	60.78	0.46	+0.46/-0.64	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-333	63.96	0.51	+0.51/-0.7	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-334	67.13	0.51	+0.51/-0.71	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-335	70.31	0.51	+0.51/-0.72	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-336	73.48	0.51	+0.51/-0.73	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-337	76.66	0.61	+0.61/-0.84	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-338	79.83	0.61	+0.61/-0.85	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-339	83.13	0.61	+0.61/-0.86	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-340	86.31	0.61	+0.61/-0.87	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-341	89.48	0.61	+0.61/-0.88	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-342	92.66	0.71	+0.71/-0.99	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-343	95.83	0.71	+0.71/-1	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-344	99.01	0.71	+0.71/-1.01	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-345	102.31	0.71	+0.71/-1.02	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-346	105.49	0.71	+0.71/-1.03	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-347	108.66	0.76	+0.76/-1.09	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-348	111.84	0.76	+0.76/-1.1	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-349	115.01	0.76	+0.76/-1.11	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-350	118.19	0.76	+0.76/-1.12	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-351	121.36	0.76	+0.76/-1.13	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-352	124.54	0.76	+0.76/-1.14	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-353	127.71	0.94	+0.94/-1.32	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-354	130.89	0.94	+0.94/-1.33	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-355	134.06	0.94	+0.94/-1.34	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-356	137.24	0.94	+0.94/-1.35	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-357	140.41	0.94	+0.94/-1.36	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-358	143.59	0.94	+0.94/-1.37	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-359	146.76	0.94	+0.94/-1.38	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-360	149.94	0.94	+0.94/-1.39	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-361	153.11	0.94	+0.94/-1.4	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-362	159.46	1.02	+1.02/-1.49	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-363	165.81	1.02	+1.02/-1.51	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-364	172.16	1.02	+1.02/-1.53	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-365	178.51	1.02	+1.02/-1.55	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-366	184.86	1.14	+1.14/-1.7	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-367	191.21	1.14	+1.14/-1.72	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-368	197.56	1.14	+1.14/-1.74	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-369	203.91	1.14	+1.14/-1.75	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-370	210.26	1.27	+1.27/-1.9	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-371	216.61	1.27	+1.27/-1.92	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-372	222.96	1.27	+1.27/-1.94	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-373	229.31	1.27	+1.27/-1.96	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-374	235.66	1.40	+1.4/-2.1	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-375	242.01	1.40	+1.4/-2.12	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-376	248.36	1.40	+1.4/-2.14	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-377	254.71	1.40	+1.4/-2.16	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-378	267.41	1.52	+1.52/-2.33	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-379	280.11	1.52	+1.52/-2.36	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-380	292.81	1.65	+1.65/-2.53	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13

BackUp Ring




BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-381	305.51	1.65	+1.65/-2.57	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-382	330.91	1.65	+1.65/-2.64	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-383	356.31	1.78	+1.78/-2.85	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-384	381.71	1.78	+1.78/-2.92	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-385	406.6	1.91	+1.91/-3.12	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-386	432	2.03	+2.03/-3.33	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-387	457.4	2.16	+2.16/-3.53	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-388	482.75	2.29	+2.29/-3.73	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-389	508.15	2.41	+2.41/-3.94	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-390	533.55	2.41	+2.41/-4.01	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-391	558.95	2.54	+2.54/-4.22	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-392	584.02	2.67	+2.67/-4.42	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-393	609.42	2.79	+2.79/-4.62	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-394	634.82	2.92	+2.92/-4.83	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-395	660.22	3.05	+3.05/-5.03	6.65	0.25	1.88	0.10	1.52	0.10	4.65	0.13
-425	115.6	0.84	+0.84/-1.18	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-426	118.77	0.84	+0.84/-1.19	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-427	121.95	0.84	+0.84/-1.2	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-428	125.12	0.84	+0.84/-1.21	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-429	128.3	0.94	+0.94/-1.32	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-430	131.47	0.94	+0.94/-1.33	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-431	134.65	0.94	+0.94/-1.34	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-432	137.82	0.94	+0.94/-1.35	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-433	141	0.94	+0.94/-1.36	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-434	144.17	0.94	+0.94/-1.37	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-435	147.35	0.94	+0.94/-1.38	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-436	150.52	0.94	+0.94/-1.39	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-437	153.7	0.94	+0.94/-1.4	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15

BackUp Ring



BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-438	159.36	1.02	+1.02/-1.49	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-439	165.71	1.02	+1.02/-1.51	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-440	172.06	1.02	+1.02/-1.53	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-441	178.41	1.02	+1.02/-1.55	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-442	184.76	1.14	+1.14/-1.7	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-443	191.11	1.14	+1.14/-1.72	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-444	197.46	1.14	+1.14/-1.74	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-445	203.81	1.14	+1.14/-1.75	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-446	216.51	1.40	+1.4/-2.05	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-447	229.21	1.40	+1.4/-2.08	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-448	241.91	1.40	+1.4/-2.12	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-449	254.61	1.40	+1.4/-2.16	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-450	267.31	1.52	+1.52/-2.33	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-451	280.01	1.52	+1.52/-2.36	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-452	292.71	1.52	+1.52/-2.4	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-453	305.41	1.52	+1.52/-2.44	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-454	318.11	1.52	+1.52/-2.48	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-455	330.81	1.52	+1.52/-2.52	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-456	343.51	1.78	+1.78/-2.81	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-457	356.21	1.78	+1.78/-2.85	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-458	368.91	1.78	+1.78/-2.88	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-459	381.61	1.78	+1.78/-2.92	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-460	394.31	1.78	+1.78/-2.96	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-461	406.5	1.91	+1.91/-3.12	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-462	419.2	1.91	+1.91/-3.16	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-463	431.9	2.03	+2.03/-3.33	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-464	444.6	2.16	+2.16/-3.49	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-465	457.3	2.16	+2.16/-3.53	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15

BackUp Ring



BackUp Ring Size	measurements in millimeters										
	ID	NBR ±	FKM ±	R ±.010	±	T	±	A	±	W	±
-466	470	2.16	+2.16/-3.57	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-467	482.7	2.29	+2.29/-3.73	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-468	495.4	2.29	+2.29/-3.77	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-469	508.1	2.41	+2.41/-3.94	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-470	533.5	2.41	+2.41/-4.01	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-471	558.9	2.54	+2.54/-4.22	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-472	584.3	2.67	+2.67/-4.42	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-473	609.7	2.79	+2.79/-4.62	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-474	635.1	2.92	+2.92/-4.83	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15
-475	660.5	3.05	+3.05/-5.03	8.74	0.25	2.91	0.13	2.44	0.13	5.99	0.15